



**FORENSIC APPLICATIONS CONSULTING TECHNOLOGIES, INC.**

**Regulatory Audit  
of  
Methamphetamine Screening  
Level Assessment**

**By  
Robert Woellner  
QUEST Inc.**

**(Identifying 264 Violations 6 CCR 1014-3)**

**For the Property Located at:  
598 Cleveland Avenue  
Louisville, CO 80027**

**Prepared by:**

**Forensic Applications Consulting Technologies, Inc.  
185 Bounty Hunter's Lane  
Bailey, CO 80421**



**January 27, 2016**

# Table of Contents

EXECUTIVE SUMMARY .....	3
REVIEW OF THE SCREENING LEVEL ASSESSMENT .....	4
Failure to Provide Qualified Personnel.....	4
Violation of Section 3.0.....	4
Inability to Comply with Paragraph 3.3.....	6
Failure to Comply with Paragraph 3.5.....	8
Failure to Comply with Paragraph 3.7.2.....	8
Violation of Section 3.7.5 (14 violations).....	9
Violation of Section 3.7.6.1 .....	10
Violation of Section 3.7.6.3 (20 Violations).....	10
Violation of Section 6.....	11
Inability to comply with Paragraph 6.1.3.3.....	11
Inability to comply with Paragraph 6.1.3.5.....	11
Violation of Section 6.2.2 (19 Violations – Failure to collect 100cm2).....	11
Violation of Section 6.2.2 (30 violations Reuse of Templates) .....	13
Violation of Section 6.2.3 (8 violations).....	13
Violation of Section 6.2.7 (80 Violations) .....	14
Violation of Section 6.2.12.1 .....	15
Violation of Section 6.2.14 .....	15
Violation of Section 6.2.14.5 (8 Violations).....	15
Violation of Section 6.2.14.6 (10 Violations).....	16
Violation of Section 6.2.14.8 (11 Violations – Collection Time).....	16
Violation of Section 6.2.14.9 (11 violations) .....	16
Violation of Section 6.2.14.10 (3 violations) .....	16
Violation of Section 6.2.14.11 .....	16
Violation of Section 6.2.15 .....	17
Violation of Section 6.3.5 (16 Violations) .....	17
Violation of Section 6.3.6 (19 Violations) .....	17
Violation of Section 6.7.1.1 .....	18
Violation of Section 6.7.1.2 .....	19
Colorado Criminal Code CRS 18-5-113. Criminal impersonation .....	21
Colorado Criminal Code – Fraud; Offering a false instrument for recording .....	22
Colorado Consumer Protection Act .....	22
CONCLUSION .....	24
Appendix A.....	25
Reviewer’s Statement of Qualifications .....	25

## EXECUTIVE SUMMARY

Forensic Applications Consulting Technologies, Inc. (FACTs) is a private S-Corporation in the State of Colorado offering classical Industrial Hygiene services to its clients.

FACTs is performing a series of regulatory audits on public domain documents. This document has been prepared by Forensic Applications Consulting Technologies, Inc. in response to actions by the Colorado Department of Public Health and Environment (CDPHE), and pursuant to the provisions of C.R.S. 18-8-115 *Duty to report a crime - liability for disclosure*.

This review pertains to the document identified as:

**Methamphetamine Screening Level Assessment  
Residence at 598 Cleveland Avenue in Louisville, CO 80027  
Methamphetamine Screening Level Assessment & Contents Sampling  
April 20, 2015  
for  
Julie Swick  
1661 W. Canal Circle, #331  
Littleton, CO**

The purpose of this review is to document regulatory violations associated with regulatory work regarding the assessment of methamphetamine affected properties (6 CCR 1014-3). The level of scrutiny and detail employed in this review is that which has been established by the Colorado Department of Public Health and Environment (CDPHE).

The particular consultant associated with work performed at 598 Cleveland Avenue in Louisville, CO 80027 (the subject property), Mr. Robert Woellner, has an extensive history of willful regulatory violations, invalid drug laboratory assessments, falsification of information relating to real estate documents, and claims to his credentials that are unsupported.<sup>1,2,3,4,5,6,7,8,9,10,11,12,13,14</sup>

---

<sup>1</sup> 131 South Benton Street Denver, CO <http://forensic-applications.com/meth/censoredcriticalreview.pdf>

<sup>2</sup> 100 W. Spaulding Street, Lafayette, Colorado [http://forensic-applications.com/meth/Spaulding\\_Regulatory\\_audit\\_Redacted.pdf](http://forensic-applications.com/meth/Spaulding_Regulatory_audit_Redacted.pdf)

<sup>3</sup> 4893 S Johnson Street, Denver [http://www.forensic-applications.com/meth/Johnson\\_Critical\\_review.pdf](http://www.forensic-applications.com/meth/Johnson_Critical_review.pdf)

<sup>4</sup> 788 W. Lois Ct., Louisville, CO 80027

<sup>5</sup> 1138 West 32nd Street, Unit 201, Denver, (229 violations – detailed report is pending)

<sup>6</sup> 48400 Routt County Road 56C, Steamboat Springs, CO 80487 (54 violations – detailed report is pending)

<sup>7</sup> 11767 Grant Street, Northglenn, Colorado 80233 (113 violations) [http://www.forensic-applications.com/meth/Addendum\\_7\\_Woellner\\_11767\\_Grant.pdf](http://www.forensic-applications.com/meth/Addendum_7_Woellner_11767_Grant.pdf)



FACTs obtained a copy of the public domain report under review through the Colorado Open Records Act (CORA) directly from the Colorado Department of Public Health and Environment (CDPHE).

## REVIEW OF THE SCREENING LEVEL ASSESSMENT

During the performance of a Screening Level Assessment (for methamphetamine) of a property, the Consultant is required by regulations (6 CCR 1014-3) to perform specific mandatory tasks and provide specific mandatory documentation.

In reviewing the Screening Assessment report by Mr. Woellner for this subject property, the following regulatory violations have been identified:

### ***Failure to Provide Qualified Personnel***

#### ***Violation of Section 3.0***

According to regulations, the performance of a Screening Level Assessment can only be performed by certain personnel.

##### PART 2: TRAINING AND CERTIFICATION REQUIREMENTS

###### 3.0 Interim Authorization

3.1 Persons who, as of the effective date of this Part 2 of these regulations, are performing assessment or decontamination activities subject to these regulations may continue to perform such activities, as long as they comply with the requirements of this section 3.

There is no evidence that Mr. Woellner, prior to the date of the work at 586 West Fremont Drive in Littleton, CO 80120, has ever been "...performing assessment or decontamination activities subject to these regulations..." or is an Industrial Hygienist.

---

<sup>8</sup> 690 S. Lincoln Street, Denver, CO 80203 (769 violations) [http://forensic-applications.com/meth/Woellner\\_Lincoln\\_Clearance\\_RA.pdf](http://forensic-applications.com/meth/Woellner_Lincoln_Clearance_RA.pdf)

<sup>9</sup> 8347 S Reed Street, Unit 2, Littleton CO 80128 (121 violations) [http://forensic-applications.com/meth/Addendum\\_6\\_Woellner\\_Reed2\\_Redacted.pdf](http://forensic-applications.com/meth/Addendum_6_Woellner_Reed2_Redacted.pdf)

<sup>10</sup> 410 E 32nd Ave Avenue in Carbondale, CO 81623, (198 Violations) [http://forensic-applications.com/meth/QUEST\\_Garfield\\_PA\\_RA.pdf](http://forensic-applications.com/meth/QUEST_Garfield_PA_RA.pdf)

<sup>11</sup> Clearance report for 410 E 32nd Ave Avenue in Carbondale, CO 81623 (366 Violations) [http://forensic-applications.com/meth/Woellner\\_Garfield\\_Clearance\\_RA.pdf](http://forensic-applications.com/meth/Woellner_Garfield_Clearance_RA.pdf)

<sup>12</sup> Preliminary Assessment 8172 East 132nd Avenue, Thornton CO (385 Regulatory Violations) [http://forensic-applications.com/meth/QUEST\\_132nd\\_Ave\\_PA\\_RA.pdf](http://forensic-applications.com/meth/QUEST_132nd_Ave_PA_RA.pdf)

<sup>13</sup> See: Falsified Clearance Certification, 413 W. Easter Ave., Littleton, CO (592 regulatory violations) [http://forensic-applications.com/meth/QUEST\\_Easter\\_Clearance\\_RA.pdf](http://forensic-applications.com/meth/QUEST_Easter_Clearance_RA.pdf)

<sup>14</sup> See: 586 West Fremont Drive, Littleton, CO 80120 (179 Violations), [http://forensic-applications.com/meth/QUEST\\_Fremont\\_Screen\\_RA.pdf](http://forensic-applications.com/meth/QUEST_Fremont_Screen_RA.pdf)



In the past, Mr. Woellner has stated that he is not an Industrial Hygienist and there is no documentation to suggest that his sudden conversion to being an “Industrial Hygienist” is based on demonstrable facts. There is no indication that Mr. Woellner has any technical competency in illegal drug laboratories. During a legal hearing, Mr. Woellner was barred from giving testimony as an expert in such matters.<sup>15</sup> (Later, also while under oath in a different case,<sup>16</sup> Mr. Woellner falsely testified that he had never been barred from giving testimony).

Ms. Colleen Brisnehan, with the CDPHE (responsible for granting interim authorization to consultants to perform assessments on methamphetamine affected properties for the period of time from December 15, 2014 to June 15, 2015) has historically been identified as serving on the Board of Directors for a private organization called the “Colorado Association of Meth and Mold Professionals (CAMMP),” -- this would appear to be a violation of CRS §24-50-117. The “Colorado Association of Meth and Mold Professionals,” is a largely discredited group of untrained practitioners to which Mr. Woellner has claimed membership. It would appear that the CDPHE granted Mr. Woellner interim authorization in violation of the regulations they were entrusted to enforce.

As of the date of this audit, FACTs has identified no fewer than 3,602 (three *thousand*, six hundred and two) regulatory violations of 6 CCR 1014-3 by this consultant in 15 reports in just the first few months after the revised regulations became effective (December 15, 2014).

Ms. Brisnehan has a documented history of protecting Mr. Woellner and helping him hide regulatory violations. Ms. Brisnehan, in violation of Colorado’s criminal statutes §18-8-404 *First degree official misconduct*, was caught personally assisting Mr. Woellner in the collection of unlawful samples at a residence.<sup>17</sup> Ms. Brisnehan then lied to the occupant claiming the assessment and cleaning work had been performed according to State regulations when in fact, none of the assessment, none of the cleaning and none of the post remediation confirmation work had been performed according to regulations. It was in large part because of the criminal activities by Ms. Brisnehan and Mr. Woellner at the 4893 S Johnson Street property, the State Legislature passed Senate Bill SB13-219 to prevent fraudulent consultants from colluding with corrupt regulators and victimizing Colorado Citizens. Although Senate Bill SB13-219 passed and was signed into law, in a stroke of bureaucratic genius, the CDPHE placed Ms. Brisnehan in charge of the enforcement of the new regulations. The fox was now watching the hen-house and the fraudulent activities, and concomitant number of victims, have escalated dramatically. As of the date of this audit (January 27, 2016), FACTs has identified no fewer than 12,803

---

<sup>15</sup> On July 17, 2008, in the matter of “913 Industrial Park / Colorado Casualty (Claim Number 902597160002)

<sup>16</sup> Transcript of the Testimony of Robert Woellner in the Matter of Fidelity and Deposit Company of Maryland v. White River Townhomes, LLC *et al*, November 19, 2009.

<sup>17</sup> 4893 S Johnson Street, Denver [http://www.forensic-applications.com/meth/Johnson\\_Critical\\_review.pdf](http://www.forensic-applications.com/meth/Johnson_Critical_review.pdf)



(twelve *thousand* eight hundred and three) regulatory violations in various methamphetamine assessment reports submitted to the CDPHE that have been ignored by Ms. Brisnehan, in violation of 6 CCR 1014-3 which states:

### 3.0 Notification and Imposition

3.1 Whenever the Department has reason to believe that a person has violated any requirement of these regulations, the Department shall notify the person, specifying the requirement alleged to have been violated and the facts alleged to constitute the violation.

3.2 The Department shall either send the notification required by Section 3.1 by certified or registered mail, return receipt requested, to the last known address of the alleged violator, or personally serve the notice of violation upon the alleged violator or the alleged violator's agent. Service shall not be incomplete due to any refusal to accept service.

3.3 The alleged violator has thirty (30) days following receipt of the notice to submit a written response containing data, views, and arguments concerning the alleged violation and potential corrective actions.

3.4 Within fifteen (15) days after receiving the notice of alleged violation, the alleged violator may request an informal conference with Department personnel to discuss the alleged violation. Such conference shall be held within the thirty (30) days allowed for written response.

It would appear that in an effort to protect her office, Ms. Brisnehan felt compelled to grant certification to her fellow CAMMP member who otherwise has no documentable training in the assessment of illegal drug laboratories, has never actually performed a valid assessment in Colorado, and is not an Industrial Hygienist, (indeed during testimony under oath in 2009 was unable to correctly define "Industrial Hygiene.")

During the performance of a Screening Level Assessment, the consultant is required to perform specific duties and provide specific information as delineated in Sections 3 and 6 of 6 CCR 1014-3. Specifically:

3.0 Screening Level Assessment of Properties not known to be methamphetamine-affected properties. This section establishes procedures and standards for testing residential real property pursuant to § 38-35.7-103, C.R.S. Screening level assessments pursuant to this section are for the purpose of determining if the subject property is a methamphetamine-affected property. The procedures in this section are not to be used to make clearance decisions.

3.5 The Consultant shall conduct limited composite wipe sampling of the structure(s) for methamphetamine (including fixtures, as appropriate), in accordance with Section 6 of this Part 1.

### ***Inability to Comply with Paragraph 3.3***

During the performance of a Screening Level Assessment, the consultant is required to perform specific duties and provide specific information, including:



3.3 The Consultant shall document any observed signs that the subject property is a methamphetamine-affected property. If any signs of a methamphetamine-affected property are observed, then the Screening Assessment requirements of Section 4 and Section 6 of this Part 1 apply in lieu of this section.

As already addressed, Mr. Woellner lacks any documented training in the assessment of illegal drug laboratories, and, not being an Industrial Hygienist, and having an established history of failing to recognize chemical storage areas, waste disposal areas, cooking areas, and/or use areas, there is no way Mr. Woellner would possess the necessary skill set to comply with this provision.

We see examples of his lack of knowledge in such matters in his past reports where, for example, Mr. Woellner rambled in his report about “orange rinds”<sup>18</sup> being used for methamphetamine production (orange rinds are not used in methamphetamine production).

For this property, Mr. Woellner states:

*No iodine staining, abnormally oxidized metal, or otherwise meth-specific residue or staining was observed. No obvious etching, chemical residue, stressed vegetation, or fire-damaged areas were observed in or around the residence.*

This is boiler-plate language that appears in many of Mr. Woellner's reports regardless of the actual site conditions. In the past, Mr. Woellner has entirely failed to observe profound iodine staining even when it is obviously present. For example, in one pseudoephedrine Red-Phosphorous production laboratory located at 690 S Lincoln Street in Denver, CO,<sup>19</sup> there was extensive evidence of profound iodine contamination throughout the property, and yet Mr. Woellner entirely failed to observe the staining. (The photograph below shows the author of this review (Connell) in the basement of the Lincoln Street property pointing to heavy iodine contamination).

---

<sup>18</sup> See for example: 1138 West 32nd Street, Unit 201, Denver, CO [http://www.forensic-applications.com/meth/Addendum\\_2\\_Woellner\\_1138\\_32\\_St.pdf](http://www.forensic-applications.com/meth/Addendum_2_Woellner_1138_32_St.pdf)

<sup>19</sup> 690 S. Lincoln Street, Denver, CO 80203: [http://forensic-applications.com/meth/Woellner\\_Lincoln\\_Clearance\\_RA.pdf](http://forensic-applications.com/meth/Woellner_Lincoln_Clearance_RA.pdf)



**FACTs Photograph Iodine Staining - S. Lincoln St., Denver, CO**

Yet since Mr. Woellner has no documentable training in the assessment of illegal drug laboratories, Mr. Woellner failed to recognize the stains for what they represent.

Since, as described below, Mr. Woellner failed to provide photographs of site conditions as required by regulations, there is no way to now know if iodine staining was present or not.

### ***Failure to Comply with Paragraph 3.5***

During the performance of a Screening Level Assessment, the consultant is required to perform specific duties and provide specific information, including:

3.5 The Consultant shall conduct limited composite wipe sampling of the structure(s) for methamphetamine (including fixtures, as appropriate), in accordance with Section 6 of this Part 1.

As described below, Mr. Woellner failed to perform sampling as required by Section 6, and none of the samples collected at this property were valid.

### ***Failure to Comply with Paragraph 3.7.2***

During the performance of a Screening Level Assessment, the consultant is required to perform specific duties and provide specific information, including:

3.7.2 Description of structural features in all buildings comprising the subject property, such as attics, **false ceilings**, crawl spaces, and basements including identification of structural features connected to adjacent units or common areas.

In general, when reviewing reports from this consultant, we find that the reports are largely repetitive boiler plate language that is inserted into the reports regardless of the actual site conditions. For example, in this report, Mr. Woellner provided only three photographs of interior site conditions, one of which clearly showed a false ceiling:





**QUEST Photograph**

Nowhere in his report, does Mr. Woellner mention the false ceiling and there is nothing to indicate he even noticed it, or perhaps knows what a false ceiling is.

**Violation of Section 3.7.5 (14 violations)**

During a Screening Level Assessment, the consultant is required to provide specific documentation including:

3.7.5 Photographic documentation of property conditions.

Mr. Woellner failed to comply with this requirement. According to his report, there are at least 14 distinct areas and rooms; therefore, at a minimum, there should be photographs showing site conditions for those rooms. As it is, Mr. Woellner included three photographs that partially show the interior conditions of the garage and two unidentified rooms. Therefore, photographs showing site conditions are missing for the following:

1. Attic
2. Basement main room
3. Basement NE Storage room
4. Basement SE Storage room

5. Basement stair well
6. Family room
7. Kitchen
8. Living room
9. Master bathroom
10. Master bedroom
11. Room
12. Upper stairwell
13. Upstairs SE Bedroom
14. Upstairs SW Bedroom

**Violation of Section 3.7.6.1**

During a Screening Level Assessment, the consultant is required to provide specific documentation including:

3.7.6 Documentation of screening level sampling shall include:

3.7.6.1 a description of the sampling procedures used, including sample collection, handling, and quality assurance/quality control (QA/QC);

Nowhere in the report do we find any description of the sampling procedures used, including no sample collection information, no handling, or quality assurance/quality control (QA/QC) procedures.

**Violation of Section 3.7.6.3 (20 Violations)**

During a Screening Level Assessment, the consultant is required to provide specific documentation including:

3.7.6 Documentation of screening level sampling shall include:

3.7.6.3 results of sampling, including a description of sample locations and a computer generated figure illustrating the layout of the building(s) and sample locations and identification.

We are not aware of a single report ever prepared by Mr. Woellner where he has complied with this regulatory provision. It would appear that being protected by Ms. Brisnehan with the CDPHE has resulted in the fact that Mr. Woellner is able to essentially write his own rules with government approval at the expense of defrauding the citizens of Colorado with deceptive trade practices. For this property, Mr. Woellner intentionally refused to comply with the regulations and intentionally and willfully refused to provide the drawings for the following sampling locations:

06a	06b	06c	06d	07a
07b	07c	07d	08a	08b
08c	08d	09a	09b	09c
09d	11b	11c	11d	1a

## **Violation of Section 6**

During a Screening Level Assessment, the consultant is required to perform specific activities pursuant to Section 6:

6.1.3 The following sample collection procedures shall be followed for **screening level** sampling, Screening Assessment sampling and clearance sampling, except as provided in Section 6.8.2 of this Part 1.

### **Inability to comply with Paragraph 6.1.3.3**

During a Screening Level Assessment, the consultant is required to perform specific activities pursuant to Section 6, including:

6.1.3.3 Wipe sampling shall be used to determine the extent of iodine contamination whenever there is visible evidence of iodine staining on surfaces that will not be removed.

As already established, Mr. Woellner has no documented training that would permit him to determine if an iodine process was used. As objectively documented in other audits, since Mr. Woellner has no idea of what iodine staining is, he routinely ignores profound iodine staining, and therefore, it would have been impossible for Mr. Woellner to comply with this provision for this property.

### **Inability to comply with Paragraph 6.1.3.5**

During a Screening Level Assessment, the consultant is required to perform specific activities pursuant to Section 6, including:

6.1.3.5 Vapor sampling shall be used to determine the extent of mercury contamination whenever the Screening Assessment indicates the P2P method of methamphetamine manufacture was used on the property.

As already established, Mr. Woellner has no documented training that would permit him to determine if the P2P method was used. Therefore, it would have been impossible for Mr. Woellner to comply with this provision.

## **Violation of Section 6.2.2 (19 Violations – Failure to collect 100cm<sup>2</sup>)**

During the performance of a Screening Assessment, the consultant is required by regulations to follow specific sampling protocols including:

6.1.3 The following sample collection procedures **shall** be followed for **screening level** sampling, Screening Assessment sampling and clearance sampling, except as provided in Section 6.8.2 of this Part 1.

6.2.2 Delineate a 100 cm<sup>2</sup> area on the surface to be sampled, either by attaching a physical template to the surface (being careful not to touch the area within the template), or by an equivalently reliable and accurate method. The area within the template (i.e., the sample area) shall be 100 cm<sup>2</sup>.

Historically, to our knowledge, Mr. Woellner has never performed a site assessment wherein he has complied with this provision. Instead, under the protection of Ms.




Brisnehan with the CDPHE – Mr. Woellner has been permitted to ignore state regulations and invent his own pretend sampling protocols that produce whatever result is desirable by the client.

To our knowledge, at *every* project involving Mr. Woellner, he has failed to collect the required area. In several photographs in the report for this subject property, Mr. Woellner documents that he failed to collect samples from areas that were 100 cm<sup>2</sup>. Typically, Mr. Woellner, in violation of the regulations, merely places a template over an area that may contain empty space or an indeterminable surface area. Mr. Woellner, erroneously believes that since he is holding an 100 cm<sup>2</sup> template, the area sampled must necessarily be 100 cm<sup>2</sup>, regardless of the actual surface area collected. For this project, Mr. Woellner failed to collect 100cm<sup>2</sup> for at least 19 samples. A few examples follow:



**QUEST Photographs**



**QUEST Photographs**

**Violation of Section 6.2.2 (30 violations Reuse of Templates)**

During the performance of a Screening Assessment, the consultant is required by regulations to follow specific sampling protocols and is restricted from other (poor) practices including:

6.2.2 ... Physical templates may not be re-used.

Since Mr. Woellner has never learned how to collect legitimate samples in illegal drug laboratories, he has always practiced very poor sampling protocols and has always reused his templates on his projects involving the assessment of methamphetamine affected properties. In the example photographs reproduce above, Mr. Woellner documents that, in violation of the regulations, he re-used his templates 30 times.

**Violation of Section 6.2.3 (8 violations)**

During the performance of a Screening Assessment, the consultant is required by regulations to follow specific sampling protocols including:

6.2.3 Prepare a rough sketch of the area(s) to be sampled and indicate sample location(s).

For this project, the locations of twenty samples have not been identified on any drawings or sketches. In his report, Mr. Woellner acknowledges that he has no regard for the

regulations when he simply states with impunity that he chose not to include the mandatory information.

### **Violation of Section 6.2.7 (80 Violations)**

During the performance of a Screening Level Assessment, the consultant is required by regulations to follow specific sampling protocols including:

6.2.7 Wipe the surface using one of the following methods:

6.2.7.1 Square method: Start at the outside edge and progress toward the center of the surface area by wiping in concentric squares of decreasing size.

6.2.7.2 "S" method: Wipe horizontally from side-to-side in an overlapping "S"- like pattern as necessary to completely cover the entire wipe area.

6.2.8 Without allowing the sample media to come into contact with any other surface, fold the sample media with the sampled side in.

6.2.9 Use the same sample media to repeat the sampling of the same area using the same method. If using the "S" method, the second pass shall be sampled by wiping with overlapping "S"-like motions in a top-to-bottom direction.

6.2.10 Fold sampled side in. Using the same sample media, sample the same area a third time. The third pass shall be sampled by wiping using the method not previously used (i.e., use the square method if the "S" method was originally used).

Historically, Mr. Woellner has ALWAYS failed to comply with this regulatory requirement on all projects known to FACTs, and as referenced as citations in this audit.

Nowhere in his report, do we see where Mr. Woellner documented where he used the required protocol. As already mentioned, in violation of Section 3.7.6.1, Mr. Woellner failed to provide a description of his sampling procedures; therefore, there is nothing in his report that even alludes to compliance.

Additionally, for this property, Mr. Woellner has documented surface areas wherein it would have been impossible to simultaneously use the mandatory method and/or collect 100 cm<sup>2</sup> as required. Therefore, there were 40 violations of not having collected the second pass as required and 40 violations of not having collected the third pass as required. Examples of where it would have been impossible to have collected the wipe as required include:





### QUEST PHOTOGRAPHS

#### **Violation of Section 6.2.12.1**

During the performance of a Screening Level Assessment, the consultant is required by regulations to follow specific sampling protocols including:

6.2.12.1 To collect a field blank, remove a wipe from the wrapper with a new glove, shake the wipe open, refold in the same manner as during the sampling procedure, and then insert the wipe into the sample container.

In the chain-of-custody, Mr. Woellner identifies that the field blank represented a 400cm<sup>2</sup> surface area. Therefore, it would follow that somewhere at the subject property, but never identified in the report, Mr. Woellner used the blank to wipe 400 cm<sup>2</sup> surface, in violation of the regulations. Otherwise, nowhere in the report, do we see where Mr. Woellner documented where he used this protocol. As already mentioned, in violation of Section 3.7.6.1, Mr. Woellner failed to provide a description of his sampling procedures.

#### **Violation of Section 6.2.14**

During the performance of a Screening Level Assessment, the consultant is required by regulations to provide specific information and documentation including:

6.2.14 Maintain a Chain-of-Custody Record covering the time of sample collection through final disposition. ... At a minimum, the Chain-of-Custody Record shall include the following:

#### **Violation of Section 6.2.14.5 (8 Violations)**

During the performance of a Screening Level Assessment, the consultant is required by regulations to provide specific information on the chain-of-custody, including:

6.2.14.5 sample area;

As discussed above, Mr. Woellner failed to collect 100cm<sup>2</sup> for 19 aliquots from eight sample sets (Sample Set 1, Sample Set 2, Sample Set 3, Sample Set 4, and Sample Set 5, Sample Set 7, Sample Set 9 and Sample Set 11). There was at least one aliquot from each of the eight sample composites wherein at least one aliquot was not 100 cm<sup>2</sup> as claimed.

Therefore, the areas identified by Mr. Woellner on the chain-of-custody for each of these sample sets was knowingly falsified by Mr. Woellner who falsely provided the analyzing laboratory with fabricated information (claiming he collected 400cm<sup>2</sup>), knowing the laboratory would use his submitted information regarding falsified surface areas to bias the reported results lower than the actual concentrations present.

**Violation of Section 6.2.14.6 (10 Violations)**

During the performance of a Screening Level Assessment, the consultant is required by regulations to provide specific information on the chain-of-custody, including:

6.2.14.6 number of sample aliquots;

Nowhere on the chain-of-custody is the number of aliquots provided for any of the samples.

**Violation of Section 6.2.14.8 (11 Violations – Collection Time)**

During the performance of a Screening Level Assessment, the consultant is required by regulations to provide specific information on the chain-of-custody, including:

6.2.14.8 sample collection time ...

Nowhere on the chain-of-custody is the sample collection time provided. Since there are 11 submissions, there are 11 violations.

**Violation of Section 6.2.14.9 (11 violations)**

During the performance of a Screening Level Assessment, the consultant is required by regulations to provide specific information on the chain-of-custody, including:

6.2.14.9 sample matrix;

Nowhere on the chain-of-custody is the matrix identified, (the term “matrix” as used by the laboratory is different from the term “matrix” as used in the regulations). Since there are 11 submissions, there are 11 violations.

**Violation of Section 6.2.14.10 (3 violations)**

During the performance of a Screening Level Assessment, the consultant is required by regulations to provide specific information on the chain-of-custody, including:

6.2.14.10 requested analysis;

In the chain-of-custody, the requested analysis is missing for three samples.

**Violation of Section 6.2.14.11**

During the performance of a Screening Level Assessment, the consultant is required by regulations to provide specific information on the chain-of-custody, including:

6.2.14.11 sample preservatives, if applicable; ...

Nowhere on the chain-of-custody is the sample preservative addressed.





### Violation of Section 6.2.15

During the performance of a Screening Level Assessment, the consultant is required by regulations to provide the information found in Section 6, including:

6.2.15 Painted-over surfaces. Estimate the concentration of methamphetamine present below a painted-over surface (as defined in Section 2 of this Part 1) by one of the following methods:

Nowhere in the Screening Level report is this information provided and nowhere in the report does Mr. Woellner address the issue of painted-over surfaces. Since Mr. Woellner failed to provide the mandatory photographic documentation, there is no way to know the site conditions regarding painted-over surfaces.

### Violation of Section 6.3.5 (16 Violations)

During the performance of a Screening Level Assessment, the consultant is required by regulations to perform specific duties following specific protocols:

6.3.5 All aliquots in a single composite sample collected from personal property must be collected from similar material (non-porous, porous other than textiles/fabrics, and textiles/fabrics).

For this project, Mr. Woellner, in violation of the regulatory requirements (and fundamental Industrial Hygiene sampling practices), Mr. Woellner mixed the materials from which aliquots of personal belongings were collected.

Sample ID	Item	Material
07a	Wrapped couch	Porous Fabric
07b	Wrapped love seat	Non-porous Wood
07c	Wrapped chair	Porous Fabric
07d	Wrapped night stand	Non-porous Wood
08a	Crib mattress	Porous Fabric
08b	Bin; white top	Non-porous Plastic
08c	Bin; blue top	Non-porous Plastic
08d	Bin; white/clear top	Non-porous Plastic
09a	Side of desk	Non-porous Wood
09b	Luggage	Porous Leather
09c	Front of file cabinet	Non-porous Metal
09d	Cardboard box top	Porous Cardboard
11a	Powder room fan interior	Non-porous Metal
11b	Basement east box	Porous Cardboard
11c	Basement south box	Porous Cardboard
11d	Basement north box	Cardboard

**QUEST - Table of Mixed Surfaces**

### Violation of Section 6.3.6 (19 Violations)

During the performance of a Screening Level Assessment, the consultant is required by regulations to perform specific duties pursuant to specific protocols, including:

6.3.6 Collect all individual aliquots from 100 cm<sup>2</sup> sampling areas.


As already addressed above, Mr. Woellner documented that he failed to collect 100 cm<sup>2</sup> for at least 19 aliquots.

### **Violation of Section 6.7.1.1**

During the performance of a Screening Level Assessment, the consultant is required by regulations to perform specific duties pursuant to specific protocols, including:

6.7.1.1.... At least one composite sample must include an aliquot from the cold air return of a heating system, if it is a forced air system.

During the Screening Assessment for this subject property, Mr. Woellner failed to collect an aliquot from the cold air return, using the protocols found in Section 6. For this property, although Mr. Woellner claims to have collected a sample from a return grille, the sample is not the cold air return of a heating system; as explicitly identified in his report, the sample is a grille that represents the room, not the ventilation system. Also, it would have been a physical impossibility to collect the sample from the grille in accordance with the requirements set forth in §6.2.7.2. and §6.2.9.



**QUEST Photograph**

When we look at the sample, several regulatory violations become immediately evident:

1. Failure to collect 100 cm<sup>2</sup> as required by §6.2.2
2. Failure to collect 100 cm<sup>2</sup> as required by §6.3.6
3. Reuse of templates as prohibited by §6.2.2
4. Inability to collect a sample as required by §6.2.8 through §6.2.10

It is possible Mr. Woellner would like to claim Sample “05c” was the return (however in his report he failed to identify the sample as such).



**QUEST Photograph**

When we look at that sample, we see

1. Reuse of templates as prohibited by §6.2.2
2. Failure to collect a second pass and a third pass as required by §6.2.8 through §6.2.10

Therefore, in violation of Section 6.7.1.1, Mr. Woellner failed to collect an aliquot from the cold air return, *using the protocols found in Section 6, as required by regulation.*

### **Violation of Section 6.7.1.2**


During the performance of a Screening Level Assessment, the consultant is required by regulations to perform specific duties pursuant to specific protocols, including:

6.7 Screening level sampling protocols for buildings.

6.7.1.2 All exhaust fans (including, but not limited to, kitchen, bathrooms, attic vent fans, or whole house exhaust fans) must also be sampled. Exhaust fan samples shall be collected from inside the fan compartment, the fan blade, or the back side of the fan grill. ...

As already described, for this property, in violation of Paragraph 3.7.2, Mr. Woellner failed to provide a description of structural features comprising the subject property, to the extent he entirely overlooked the false ceiling. As such, there is no inventory of the fans including attic fans that may have been present. Similarly, since, in violation of §3.7.5 (Photographic documentation of property conditions), there is no way to now know what fans may have existed.

In any event, when we look at the close-up photograph of one of his sampling locations we see the following:



**QUEST Photograph**

Recalling the regulatory requirement that:

Exhaust fan samples shall be collected from inside the fan compartment, the fan blade, or the back side of the fan grill. ...

Thus, in the totality of circumstances we find:

1. Failure to collect 100 cm<sup>2</sup> as required by §6.2.2
2. Failure to collect 100 cm<sup>2</sup> as required by §6.3.6
3. Reuse of templates as prohibited by §6.2.2
4. Inability to collect a sample as required by §6.2.8 through §6.2.10
5. Failure to collect a sample from the backside of the grille or inside the fan compartment.

Since Mr. Woellner failed to identify the exhaust fans in the property and failed to photograph site conditions, it is now impossible to know how many other violations may have been present.

## Colorado Criminal Code CRS 18-5-113. Criminal impersonation

Mr. Woellner has repeatedly held himself out to be an Industrial Hygienist, while simultaneously claiming that he is not an Industrial Hygienist. As discussed elsewhere,<sup>20</sup> during sworn testimony, Mr. Woellner was not even capable of defining “Industrial Hygiene” or defining the role of an “Industrial Hygienist” and, in another case,<sup>21</sup> he was excluded from giving testimony as an Industrial Hygienist on matters regarding illegal drug laboratories.

As documented in this review (and in other historical documents referenced in this review) there is nothing in the present documentation that would indicate that Mr. Woellner is, in fact, an Industrial Hygienist meeting the State definition.

The incompetence demonstrated in the QUEST report should be sufficient to demonstrate that Mr. Woellner is not an Industrial Hygienist and is not competent to perform the work at hand and may be falsely representing himself as an Industrial Hygienist (interim authorization notwithstanding).

Colorado Case law defines criminal impersonation as knowingly assuming a false or fictitious identity or capacity, and in that identity or capacity, doing any act with intent to unlawfully gain a benefit or injure or defraud another (*People v. Brown*, 193 Colo. 120, 562 P.2d 754 (1977); *People v. Borrego*, 738 P.2d 59 (Colo. App. 1987)). To falsely impersonate means to pretend to be a particular person without lawful authority ( *People v. Horkans*, 109 Colo. 177, 123 P.2d 824 (1942); and to perform an act in assumed character for benefit. It is an offense under the code to falsely impersonate another, and in such assumed character to do any act whereby any benefit might accrue to the offender or to another person. (*People v. Horkans*, 109 Colo. 177, 123 P.2d 824 (1942)). Venue is not an element of the crime of criminal impersonation (*People v. Perez*, 129 P.3d 1090 (Colo. App. 2005)). Although the code does not require two overt acts to be committed, (rather the code requires assuming a false identity and doing an act with the intent to gain a benefit (*People v. Johnson*, 30 P.3d 718 (Colo. App. 2000)), Mr. Woellner has repeatedly performed these acts. The requisite intent to gain a benefit may be inferred from the accused's knowing use of a false identity and the acknowledged intent to secure some advantage from the impersonation (*People v. Borrego*, 738 P.2d 59 (Colo. App. 1987)). The common meaning of "assumes a false or fictitious identity" is not to hold oneself out as someone that he or she is not; it requires the assumption of the identity of another person, whether that other person is real or fictitious (*People v. Jones*, 841 P.2d 372 (Colo. App. 1992)). For example, an attorney with a suspended license who continues to practice law is guilty of criminal impersonation for practicing law. The courts have held that “continuing to represent himself as an attorney and performing legal work when he was

---

<sup>20</sup> 4893 S Johnson Street, Denver [http://www.forensic-applications.com/meth/Johnson\\_Critical\\_review.pdf](http://www.forensic-applications.com/meth/Johnson_Critical_review.pdf)

<sup>21</sup> On July 17, 2008, in the matter of “913 Industrial Park / Colorado Casualty (Claim Number 902597160002)



aware that he had no valid license to do so amounts to the assumption of a false or fictitious capacity for purposes of the criminal impersonation statute." (*People v. Bauer*, 80 P.3d 896 (Colo. App. 2003)).

## **Colorado Criminal Code – Fraud; Offering a false instrument for recording**

One of two mental states necessarily must have been present in the performance of the QUEST work at the subject property: Either 1) Mr. Woellner knew that the work he was performing was grossly incompetent and not in compliance with State Regulations (as demonstrated above) or, 2) Mr. Woellner was unaware of the fact that his work was deviating from mandatory State requirements and he was willfully and intentionally violating State regulations.

However, Mr. Woellner has specifically referenced 6 CCR 1014-3 and is explicitly recognized by Ms. Brisnehan with CDPHE (who is identified as sitting on the Board of Directors of CAMMP,<sup>22</sup> to which Mr. Woellner has claimed membership) as being proficient in such assessments. Since, to date, FACTs has documented no fewer than 3,602 (three thousand, six hundred and two) regulatory violations associated with Mr. Woellner's work (since December 15, 2014), one must conclude that Mr. Woellner knowingly and willingly performed work that so grossly deviated from mandatory State requirements.

According to Colorado Revised Statute §18-5-114 (*Offering a false instrument for recording*), a person commits a class 5 felony when offering a false instrument for recording in the first degree if, knowing that a written instrument relating to or affecting real or personal property or directly affecting contractual relationships contains a material false statement or material false information, and with intent to defraud, he presents or offers it to a public office or a public employee, with the knowledge or belief that it will be registered, filed, or recorded or become a part of the records of that public office or public employee.

Pursuant to State statute, and state regulations, the “Screening Level Assessment” must be filed with the State of Colorado (indeed the report we reviewed was obtained from the State of Colorado through the Colorado Open Records Act). Therefore, we believe the facts objectively establish that Mr. Woellner was aware of such recording and was aware of the false statements made therein.

## **Colorado Consumer Protection Act**

In Colorado, consumers are protected against deceptive trade practices as delineated in the Colorado Consumer Protection Act, CRS Title 6, Article 1. According to those statutes, a person engages in a deceptive trade practice when, in the course of such person's business or occupation, that person knowingly makes a false representation as to the certification of

---

<sup>22</sup> Colorado Association of Meth and Mold Professions appears to be a group of pseudoprofessionals who otherwise have no apparent expertise in either methamphetamine or mold related issues.

their services, and/or knowingly makes a false representation as to the characteristics of their services and/or represents their services are of a particular standard, quality, or grade if he knows or should know that they are not as specified.

According to the *Colorado Department Of Regulatory Agencies, Office Of Policy And Research, Industrial Hygienists, And Safety Professionals 2001 Sunrise Review* (October 15, 2001) Mr. M. Michael Cooke, Executive Director stated:

Another avenue of redress is the Colorado Consumer Protection Act. This law prohibits individuals from misrepresenting their certification, abilities, and associations, and making false or misleading statements concerning the price of goods, services, or property. In addition, §6-1-707(1)(a)(I), C.R.S., prohibits an individual from claiming “either orally or in writing, to possess either an academic degree or an honorary degree of the title associated with said degree, unless the person has, in fact, been awarded said degree.” While this Act does not prevent individuals from performing industrial hygiene work, it does prohibit individuals from claiming that they have education or background that they do not possess. An individual who misrepresents his or her qualifications may be in violation of this Act. 18 § 6-1-105(1)(b), (c), (e) and (l), C.R.S.

The State regulations, regarding the assessment of methamphetamine affected properties, were revised in 2014 to counter the serious problem created by fraudulent and incompetent consultants who were falsely claiming to be “Industrial Hygienists” and who were performing invalid assessments under the false presentation of being an “Industrial Hygienist,” and who were being protected by Ms. Brisnehan at the Colorado Department of Public Health and Environment.

Forensic Applications Consulting Technologies, Inc. (the author of this review), helped the State Legislature write the statutory language that eventually became codified and required the Colorado Department of Public Health and Environment (CDPHE) to revise the regulations. Unfortunately, the task for the revision was given to Ms. Colleen Brisnehan, the CDPHE regulator who, in violation of Colorado’s criminal statutes, had helped create the problem associated with fraudulent consultants performing assessments of methamphetamine affected properties.

The regulations required the CDPHE to restrict Interim Authorization (for the period of time between December 15, 2014 and June 15, 2015) for performing assessments under the regulations exclusively to those consultants who were A) *bona fide* Industrial Hygienists, and B) had an history of performing valid assessments under the old regulations, which had been in effect since 2005. In this case, although Mr. Woellner is not an Industrial Hygienist, and had a well documented history of regulatory violations and fraudulent illegal drug laboratory assessments in violation of the regulations, it appears that Ms. Brisnehan with the CDPHE gave *carte blanc* Interim Authorization to anyone who applied (and paid the mandatory fee), including the fraudulent consultants who had created the serious problems in the first place.

Although Ms. Brisnehan granted her fellow CAMMP member automatic State Interim Authorization, Mr. Woellner has, in the recent past, denied that he is an Industrial Hygienist and has never been able to provide any documentation indicating that he has



received any training in illegal drug laboratories or their assessment. As such, there is no expectations that the consultant would possess the necessary skills or knowledge to fulfill the regulatory requirements.

Finally, the consultant in question, to our knowledge, has never documented any training or experience that would permit him to identify himself as an Industrial Hygienist pursuant to State statutes CRS Statute §24-30-1402. In fact, until just very recently Mr. Woellner never identified himself as an Industrial Hygienist and never claimed to be an Industrial Hygienist. In the past, Mr. Woellner has made several claims regarding his credentials and experience<sup>23</sup> that upon scrutiny, have been found to be unsupported.

## **CONCLUSION**

For this regulatory audit, FACTs has identified no fewer than 264 regulatory violations committed by Mr. Woellner (QUEST) in his Screening Level Assessment for methamphetamine contamination for the property located at 598 Cleveland Avenue in Louisville, CO 80027.

---

<sup>23</sup> See for example, the FACTs regulatory audit for 11767 Grant Street, Northglenn, Colorado 80233





# **Appendix A**

## **Reviewer's Statement of Qualifications**



## Forensic Applications Consulting Technologies, Inc. Consultant Statement of Qualifications

FACTs project name:	General Distribution	Form # ML15
January 19, 2016		

Caoimhín P. Connell, has been involved in clandestine drug lab investigations and assessments since 2002 and meets the Colorado Revised Statute §24-30-1402 definition of an "Industrial Hygienist." He has been a practicing Industrial Hygienist since 1987. Mr. Connell is a recognized authority in drug-lab operations and is a Certified Instructor in Meth-Lab Safety through the Colorado Regional Community Policing Institute, CRCPI (Colorado Division of Criminal Justice) and was the lead instructor for the CRCPI through the Colorado Division of Criminal Justice, providing over 260 hours of methlab training for over 45 Colorado Law Enforcement Agencies, federal agents, probation and parole officers throughout Colorado judicial districts. He has provided meth-lab lectures to the US Interagency Board, US Air Force, the National Safety Council, and the American Industrial Hygiene Association (of which he is a member and served on the Clandestine Drug Lab Work Group and for whom he conducted the May, 2010, Clandestine Drug Lab Course, and is a coauthor of the AIHA methlab assessment publication.)

Mr. Connell is a member of the American Conference of Governmental Industrial Hygienists, the Occupational Hygiene Society of Ireland, the Colorado Drug Investigators Association, an appointed Member of the National Fire Protection Association, and the ASTM International Forensic Sciences Committee, (where he was the sole sponsor of the draft ASTM E50 *Standard for the Assessment of Suspected Clandestine Drug Laboratories*).

From 2009, Mr. Connell served as the Industrial Hygiene Subject Matter Expert on the Federally funded Interagency Board (Health, Medical, and Responder Safety SubGroup), and was elected full member of the IAB-HMRS in 2011 where he now serves. He is the only private consulting Industrial Hygienist in Colorado certified by the Office of National Drug Control Policy High Intensity Drug Trafficking Area Clandestine Drug Lab Safety Program, and P.O.S.T. certified by the Colorado Department of Law.

He has received over 194 hours of highly specialized law-enforcement sensitive training in drug lab operation, and under supervision of the US DEA, he has manufactured methamphetamine using a variety of street methods. He has received highly specialized drug lab assessment training through the Iowa National Guard, Midwest Counterdrug Training Center and the Florida National Guard Multijurisdictional Counterdrug Task Force, St. Petersburg College, Rocky Mountain HIDTA, as well as through the US NHTSA, and the U.S. Bureau of Justice Assistance (US Dept. of Justice) and he is currently ARIDE Certified.

Mr. Connell is a current sworn law enforcement officer who has conducted clandestine laboratory investigations and performed risk, contamination, hazard and exposure assessments from both the law enforcement (criminal) perspective, and from the civil perspective in residences, apartments, motor vehicles, and condominiums. Mr. Connell has conducted over 613 assessments of illegal drug labs in CO, SD, NE, OK, and collected over 5,565 samples during assessments (a partial detailed list of drug lab experience is available on the web at): <http://forensic-applications.com/meth/DrugLabExperience2.pdf>

He has extensive experience performing assessments pursuant to the Colorado meth-lab regulation, 6 CCR 1014-3, and was an original team member on two of the legislative working-groups which wrote the original regulations for the State of Colorado and he was the primary author of Appendix A (*Sampling Methods And Procedures*) and Attachment to Appendix A (*Sampling Methods and Procedures Sampling Theory*) of the original Colorado regulations. Mr. Connell strongly objected to the unscientific, unfounded and inappropriate amendments now found in regulation.

Recommended by the US NIOSH as Peer Review Expert for the NIOSH 9109 Method, *Methamphetamine*, he has been admitted as a drug lab expert in Colorado, and an Industrial Hygiene Expert in Colorado in both civil and criminal courts as well as Federal Court in Pennsylvania. He has provided expert testimony in several criminal cases including Grand Jury testimony and testimony for US Bureau ATF and he testified before the Colorado Board of Health and Colorado Legislature Judicial Committee regarding methlab issues. Mr. Connell has provided services to private consumers, Indian Nations, State Investigators, and Federal Investigators, and provided testimony regarding criminal activities of staff members at the Colorado Department of Public Health Environment.





## Multijurisdictional Counterdrug Task Force Training





This is to certify that  
**Caoimhin P. Connell**

Has satisfactorily completed the following 24 hour MCTFT training course held at  
**DIVIDE, CO**

**Rural Patrol**

Training held 9/27/2004 through 9/29/2004

  
President  
St. Petersburg College

  
Eileen Lahaie  
MCTFT Director

A partnership between The Florida National Guard and St. Petersburg College

Midwest Counterdrug Training Center




## Certificate of Training


This certifies that

**Caoimhin Connell**

Has successfully completed the  
**Clandestine Laboratory Certification**

Cheyenne, WY  
40 Training Hours  
2-6 August 2004

  
Network Environmental Systems, Inc.

  
LTC Timothy E. Orr  
Commandant





# Center *for* Task Force Training™

THIS IS TO CERTIFY THAT

*Caoimhin P. Connell*

HAS SUCCESSFULLY COMPLETED 20 HOURS OF TRAINING IN

**METHAMPHETAMINE INVESTIGATION MANAGEMENT**

MARCH 20-22, 2006

DENVER, COLORADO

Domingo S. Herraiz  
Director, Bureau of Justice Assistance

Training coordinated by the  
Institute for Intergovernmental  
Research® on behalf of BJA



## State and Local Anti-Terrorism Training

THIS IS TO CERTIFY THAT

**Caoimhin P. Connell**

HAS SUCCESSFULLY COMPLETED AN 8-HOUR  
STATE AND LOCAL ANTI-TERRORISM TRAINING PROGRAM  
NARCOTICS TASK FORCE ANTI-TERRORISM BRIEFING

**June 1, 2006**  
**Denver, Colorado**

Domingo S. Herraiz  
Director, Bureau of Justice Assistance



Training coordinated on behalf of BJA  
by the Institute for Intergovernmental Research

*Rocky Mountain  
High Intensity Drug Trafficking  
Area*



*Certifies that*



*Caoimhín Connell*

*has attended*

*4 hours of*

*Hash Oil Extraction: The Scene and The Patient*

*Aurora, CO*

*July 25, 2014*

*Training Manager, Rocky Mountain HIDTA*

*Director, Rocky Mountain HIDTA*



[www.nesglobal.net](http://www.nesglobal.net)

*Certificate of Completion*

*Caoimhin Connell*

*has successfully completed training in*

*Advanced Clan Labs: Beyond the Basics*

*presented by*

*NES, Inc.*

*1141 Sibley Street Folsom, CA 95630*

*Instructor - Brian Escamilla*

*04/28/14 04/30/14*

*Date*

*Contact Hours:24*



This certifies that

*Caoimhin P Connell*

Has met the requirements for the online course

*Expert Testimony Training for the Prosecutor and Scientist*



11-07-2012

Certificate Number: 1109778763

For more information please visit <http://www.rti.org/forensiced>




## Park County Sheriff's Office Certificate of Completion


# Caoimhin Connell

has completed an 8 hour course in:

### Crime-scene Approach and Evidence Collection

Completed this 29th day of April, 2009

  
Instructor

  
Sheriff

***Rocky Mountain  
High Intensity Drug Trafficking  
Area***



*Certifies that*



**Caoimhín P. Connell**

*has attended  
2 hours of  
Hash Oil Explosions  
Woodland Park, CO  
May 31, 2014*

Training Manager, Rocky Mountain HIDTA

Director, Rocky Mountain HIDTA

***Certificate of Completion***

*This Will Certify That*

***Caoimhín P. Connell***

*Successfully Completed*

**Prescription Drug Crimes**

7 Hours Completed

At: CO Law Enforcement Officers Assn. On: September 30, 2010  
Greeley, Colorado



**P. Ritch Wagner**  
Instructor

Director, Law Enforcement Liaison & Education





# Certificate of Training

This is to certify that  
Caoimhin Connell

(Name)

Park County Sheriff's Office

(Agency)

If the bearer of this document possesses a 40 Hour certificate pursuant to 29 CFR §1910.120, this certifies the above named has met the refresher training requirements of 29 CFR §1910.120(e)(8) and is hereby **RECERTIFIED** in Clandestine Laboratory Safety / HazWoper

Sponsored by  
Rocky Mountain High Intensity Drug Trafficking Area  
Colorado Regional Community Policing Institute

Caoimhin P. Connell 4/12/10  
Caoimhin P. Connell, Instructor/Date  
Glean HARDEY



## Colorado Law Enforcement Officers' Association



This is to certify that

**CAOIMHIN CONNELL**

Completed **ARIDE (Advanced Roadside Impaired Driving Enforcement)**

hosted by **Loveland Police Department**

on **February 28 – March 1, 2011**

Tom Finelle  
Tom Finelle, CLEOA President

M. A. [Signature]  
ARIDE Instructor



# State of Colorado



THE BOARD ON PEACE OFFICER STANDARDS AND TRAINING  
HEREBY AWARDS THIS CERTIFICATE  
AS INSPECTOR OF VEHICLE IDENTIFICATION NUMBERS  
TO

**CAOIMHIN PADRAIG CONNELL**

**August 27, 2008**

Date

VIN INSP— **0952**

Number

*For fulfilling the prescribed requirements as an Inspector of Vehicle Identification Numbers and as a peace officer in Colorado, pursuant to Title 42, Article 5, Section 206 Colorado Revised Statutes.*

*Bill Ritter Jr.*

Governor

*John W. Suthers*

Attorney General, Board Chairperson

## Certificate of Completion Intoxilyzer 9000 Operator Certification Course

*The Evidential Breath Alcohol Testing Program of the  
Colorado Department of Public Health and Environment certifies that*

**Caoimhin P Connell**

User ID: **841645**

*has successfully completed the "Intoxilyzer 9000 Operator Certification Course"  
to determine the alcohol concentration in breath specimens pursuant to the  
State Board of Health Rules Pertaining to Testing for Alcohol and Other Drugs (5 CCR, 1005-2)  
Training was provided by the Evidential Breath Alcohol Testing Program  
of the Colorado Department of Public Health and Environment.*

**February 21, 2013**

Certificate Date

*Jeffrey A. Groff*

Jeffrey A. Groff, Program Manager  
Evidential Breath Alcohol Testing Program



*David A. Butcher*

David A. Butcher, Director  
Laboratory Services Division  
Colorado Department of Public Health  
and Environment

Certification expires 180 days from certificate date. Recertification must be per 5 CCR 1005-2.





# Certificate of Achievement

awarded to:

**Caoimhin P. Connell**

Has successfully completed Methamphetamine Lab Cleanup Management and Supervision training in accordance with 29 CFR 1910.120 and State Regulations Pertaining to the Cleanup of Methamphetamine Laboratories (8Hrs.)

June 1st, 2005

Date

Signed

HAZMAT Plans & Programs, Inc. 30 S. Havana St. Suite 304F Aurora, Colorado 80012 (303) 360-9801  
"Safety Plans, Programs and Training Tailored To The Needs Of Your Business"

## CERTIFICATE OF COMPLETION

COLORADO LAW ENFORCEMENT ASSOCIATIONS TRAINING PROJECT

*This Certifies That*

**Caoimhin Connell**

Has Attended the

**CLEAT 40-HOUR**

**Train the Trainer Course**

Hosted by Breckenridge Police Department  
August 14-18, 2006

Karen M. Renshaw, CAE  
Executive Director  
Colorado Association of Chiefs of Police



John L. Kammerzell  
Executive Director  
Police Officer Standard & Training



Donald E. Christensen  
Executive Director  
County Sheriffs of Colorado







**SINCE 1973**

*This is to certify that*

**Caoimlin P. Connell**

*Has completed a 24 hour training program in Vehicle Identification Number  
Inspection*

*Presented this 24th day of May, 2008*

CATI President

VIN Inspector Training Coordinator

# State of Colorado



THE BOARD ON PEACE OFFICER STANDARDS AND TRAINING  
AWARDS THIS CERTIFICATE  
TO

**CAOIMHIN PADRAIG CONNELL**

**May 6, 2004**

Date

B- 10670

Number

*For fulfilling the prescribed requirements for certification. This certificate expires three years from date of  
issuance unless the certificate holder meets the requirements for continued certification as established by law  
and the P.O.S.T. Board.*

Governor

Attorney General, Board Chairperson



**Rocky Mountain  
High Intensity Drug Trafficking  
Area**



*Certifies that*



**Caoimhín Connell**

*has attended*

*16 hours of*

**MCTC / RMHIDTA Indoor Marijuana Grows**

**Centennial, CO**

**August 28-29, 2014**

*Training Manager, Rocky Mountain HIDTA*

*Director, Rocky Mountain HIDTA*

**CERTIFICATE OF TRAINING**

THIS IS TO CERTIFY THAT

**Caoimhín Connell**

Has completed 4 hours of successful training for

The Hazards of Hash Oil Extraction

Held at IRIS Fire Investigations in Englewood, CO

on this 7<sup>th</sup> day of November, 2014

Robert K. Toth  
IRIS Fire Investigations, President



**COLORADO**  
Department of Public  
Health & Environment

Dedicated to protecting and improving the health and environment of the people of Colorado

December 30, 2014

Caoimhin Connell  
Forensic Applications Consulting Technologies Inc  
185 Bounty Hunter Ln  
Bailey, CO 80421

**Consultant Interim Authorization Approval**

Dear Caoimhin Connell:

The Hazardous Materials and Waste Management Division of the Colorado Department of Public Health and Environment (the Department) has reviewed the application for Consultant Interim Authorization and has determined the application to be complete and in compliance with 6 CCR 1014-3, Regulations Pertaining to the Cleanup of Methamphetamine-Affected Properties (the Regulations).

The Department approves the application for **Consultant Interim Authorization**. This interim authorization approval shall expire on June 15, 2015.

Assessment and sampling of methamphetamine-affected properties may only be conducted by Consultant Firms that have received interim authorization under Part 2, Section 3.2.4 of the Regulations. Therefore, this interim authorization may only be used to conduct assessment and sampling of methamphetamine-affected properties for a Consultant Firm that has received interim authorization approval from the Department.

Approved By: \_\_\_\_\_

Date: \_\_\_\_\_

12/30/2014





**COLORADO**  
Department of Public  
Health & Environment

Dedicated to protecting and improving the health and environment of the people of Colorado

December 30, 2014

Forensic Applications Consulting Technologies Inc  
185 Bounty Hunters Ln  
Bailey, CO80421

**Consultant Firm Interim Authorization Approval**

Dear Forensic Applications Consulting Technologies Inc:

The Hazardous Materials and Waste Management Division of the Colorado Department of Public Health and Environment (the Department) has reviewed the application for Consultant Firm Interim Authorization and has determined the application to be complete and in compliance with 6 CCR 1014-3, Regulations Pertaining to the Cleanup of Methamphetamine-Affected Properties (the Regulations).

The Department approves the application for **Consultant Firm Interim Authorization**. The firm shall only utilize individuals who have received interim authorization under Part 2, Section 3.2.1 of the Regulations to conduct assessment and sampling of methamphetamine-affected properties. This interim authorization approval shall expire on June 15, 2015.

The Regulations require submittal of electronic copies of reports to the Department. Electronic copies of reports should be submitted via email to [cdphe\\_methlabdocuments@state.co.us](mailto:cdphe_methlabdocuments@state.co.us). The words "report" or "report submittal" should be included in the email subject line, and the property address should be included in the body of the email.

Alternatively, compact disks with electronic copies of reports may be mailed to:

Colorado Department of Public Health and Environment  
Hazardous Material and Waste Management Division  
4300 Cherry Creek Drive South  
Denver, CO 80246-1530  
Attn: Colleen Brisnehan or Richard Mruz

Packages may also be hand delivered to the Department's mail room located in the northwest corner of Building B (700 South Ash Street).

Approved By: \_\_\_\_\_

Date: 12/30/2014

